

For BioResire students



NEET Biology Material

Elite Batch


Website: www.bioresire.in

Contact: +91-6301352398


info@bioresire.in

CENTRAL NEURAL SYSTEM

★ Brain acts as "command & control center" of the human body. It is central information processing organ of body.



REFLEX ACTION AND REFLEX ARC



Reflex Action


Sudden withdrawal of body part when comes in contact with heat, cold, dangerous things.

It is a involuntary process that requires involvement of CNS called reflex action.




It has afferent neuron (receptor) & efferent neuron (effector or effector neuron).

Afferent neuron transmits impulses from sensory organ to CNS. Efferent neuron carries signals from CNS to effector.


NEURAL CONTROL AND COORDINATION




SENSE ORGANS



HUMAN NEURAL SYSTEM




NEURON



Transmission of impulse from one neuron to another occurs through synapse.

Synapse is the junction of membranes of pre-synaptic neuron & post-synaptic neuron, separated by a gap called synaptic cleft.

SYNAPSE STRUCTURE



Synapses can be chemical synapse or electrical synapse.

Chemical synapses release neurotransmitters to transmit the impulse (action potential) from one neuron to next.

Ions are responsible for transmission of impulses from one neuron to next in electric synapses.

Neuron is the microscopic structure: 3 major parts- cell body, dendrites & axon.

Neuron can be unipolar, bipolar & multipolar: multipolar & non-myelinated.

Axon is long fiber for transmission of impulses. Their distal end is branched which terminates as synaptic knob (filled with synaptic vesicles possessing neurotransmitters).

Schwann cells form the myelin sheath around the axon.


Nodes of Ranvier is the gap between two adjacent myelin sheaths.

Neurons are excitable cells when neuron not conducting any impulse it is resting at this stage. Its electrical potential is resting potential (outer-positive: inner-negative).

When stimulus comes, axonal membrane develops electrical potential called action potential (outer-negative: inner-positive).

Resting potential membrane is polarised.

Action potential membrane is depolarised.



NEURAL CONTROL AND COORDINATION

Human Nervous System

- Central Nervous System
- Peripheral Nervous System

Coordination: Coordination is the process through which two or more organs interact and complement the function of each other.

The endocrine system: Neural system provides an organized network of point-to-point connection for quick coordination. The endocrine system provides chemical integration through hormones.

Neural system: Neural system of animals is composed of specialized cells called neuron, which can detect, receive, and transmit different kinds of stimuli. In hydra neural system is composed of network of neuron. In insects it consists of brain and a number of ganglia. Vertebrates have highly developed neural system.

Central nervous system (CNS): Central nervous system (CNS) includes brain and spinal cord. It is the site for information processing and control.

Peripheral nervous system: Peripheral nervous system includes all nerves associated with CNS.

There are two types of nerve fibers:

Afferent fibers: Afferent fibers transmit impulses from tissue/ organ to CNS.

Efferent fibers: Efferent fibers transmit regulatory impulses from CNS to concerned peripheral organs.

Peripheral nervous system are divided in two parts:

- Somatic neural system
- Autonomic neural system

Somatic neural system and Autonomic neural system: Somatic neural systems relay impulses from CNS to skeletal muscles. Autonomic neural system transmits impulses from CNS to involuntary system and smooth muscles.

Autonomic neural system:

- Sympathetic
- Parasympathetic

Neuron as Structural and Functional Unit of Neural System

Neuron is made up of three major parts- cell body, dendrite and axon.

Cell body contains cytoplasm, cell organelles and Nissl's granules. Short fibers projecting out from cell body is called dendrites. The axon is long fiber having branched structure at the end that terminates into knob like structure called


synaptic knob.

Based on number of axon and dendrites neuron are of three types:

- **Multipolar:** One axon and two or more dendrite found in cerebral cortex.
- **Bipolar:** One axon and one dendrite found in retina of eyes.
- **Unipolar:** Cell body with only one axon found in embryonic stage.

There are two types of axon:

- **Myelinated:** Fibers are enveloped with Schwann cells to form myelin sheath around the axon. The gap between two myelin sheaths is called nodes of Ranvier. Found in spinal and cranial nerves.
- **Unmyelinated:** Fiber is enclosed by Schwann cells that do not form myelin sheath around the axon. Found in autonomous and somatic neural system.



Generation and Conduction of Nerve Impulse

- Ion channels are present in neural membrane which is selectively permeable to different ions. When neuron is not conducting impulse (resting), axonal membrane is more permeable to K^+ ions and impermeable to Na^+ ions.
- Ionic gradient across the resting membrane is maintained by active transport of ions by sodium-potassium pump. This will develop positive charge outside the axonal membrane and negative charge on inner side.
- The electrical potential difference across the resting membrane is called resting potential.
- When stimulus is applied at site A, the membrane becomes permeable to Na^+ ions to make rapid influx of Na^+ ions to create outer surface negatively charged and inner membrane positively charged that create Action Potential or nerve impulse.
- The nerve impulse from A moves to B in inner surface and B to A on outer surface. This process is repeated several times to transmit the impulse.
- Nerve impulse is transmitted from one neuron to another neuron through

synapse.

There are two types of synapses:

- **Electrical synapse:** The membrane of pre and post synaptic neuron is very close to each other and current flow directly from one neuron to another.
- **Chemical synapse:** Pre and post synaptic neuron is separated by fluid filled space called synaptic cleft. Neurotransmitters are involved in transmission of impulses.


Central Neural System:

Brain is the central information processing organ of our body and act as command-and-control center. Human brain is protected by skull (cranium) and three layers of cranial meninges- outer dura mater, middle arachnoid, and inner pia mater.

Brain can be divided 3 parts- forebrain, midbrain, and hindbrain. Forebrain consists of cerebrum, thalamus, and hypothalamus. Cerebrum is divided into left and right cerebral hemispheres which are covered by cerebral cortex (grey matter). Cerebral cortex contains sensory neuron, motor neuron and association area. Association area controls complex functions like intersensory associations, memory, and communication.

Thalamus- cerebrum wraps around a structure called thalamus. It is a major coordinating center for sensory and motor signaling. Hypothalamus controls the urge for eating, drinking and body temperature. They also release hypothalamic hormones. Limbic system is involved in controlling sexual behavior and expression of emotional reactions. Midbrain is located between hypothalamus and pons of hindbrain. Dorsal portion consists of four round lobes called corpora quadrigemina. They are involved in relay of impulses back and forth between cerebrum, cerebellum, pons, and medulla. Hind brain consists of pons, medulla oblongata and cerebellum.

The medulla contains centers which control respiration, cardiovascular reflexes, and gastric secretions. Cerebellum controls balance and posture. Reflex action is a spontaneous autonomic mechanical response to a stimulus without the will of the organism. It is controlled by spinal cord. The afferent neuron receives the signal from sensory organs and transmits the impulse to CNS. The efferent neuron carries the impulse from CNS to effector. Ex- knee-jerk reflex. The path followed by reflex action is called reflex arc.




Human Eye

Spherical structure consists of three layers, external layer is sclera whose anterior part is called cornea, middle layer choroid and innermost layer is called retina. Retina contains three layers of cells: inner ganglion cells, middle bipolar cells, and outer photoreceptor cells. There are two types of photoreceptor cells called rods and cones. The daylight (photopic) vision and color vision are functions of cones. The twilight (scotopic) vision is the function of the rods.

Mechanism of Vision:

The light rays of visible wavelength fall on retina through cornea and lens to generate impulses in rods and cones. Photosensitive pigments opsin and retinal get dissociated due to light to change its shape. Change in shape of opsin cause change of permeability to generate action potential that is transmitted to brain via optic nerve.




Human Ear

Divided into three regions: outer ear, middle ear and inner ear. The middle ear contains three ossicles called malleus, incus and stapes. The fluid filled inner ear is called the labyrinth, and the coiled portion of the labyrinth is called cochlea. The organ of corti contains hair cells that act as auditory receptors and is located on the basilar membrane.

Mechanism of Hearing:

External ear receives the sound wave and directs them to ear drum. Vibration of ear drum leads to vibration of ear ossicles. The vibration reaches cochlea that generate wave in lymph. The waves generate ripples in basilar membrane and hair cells in them. As a result, nerve impulses are generated in afferent neuron that passes to brain via auditory nerves.



NCERT LINE BY LINE QUESTIONS

Introduction


- Coordination is considered as an important process in an animal body because [Pg-315,E]
 - it helps to maintain homeostasis.
 - it enables different organs to interact and function efficiently.
 - it ensures the normal functioning of vital organs.
 - all of these
- The neural system within human body provide [Pg-315,E]
 - chemical coordination through hormones
 - point to point connections
 - electrical coordination
 - both (b) and (c)
- Neurons are the specialised cells of nervous system in [Pg-316,E]
 - humans only
 - all vertebrates only
 - mostly all animals including vertebrates and invertebrates
 - both (A) and (B)
- The neurons in all animals are capable of [Pg-316,M]
 - detecting various stimuli in environment
 - receiving and transmitting stimuli to CNS
 - processing various internal and external stimuliSelect the most appropriate option.
 - I, II and III are correct
 - Only II is correct
 - II and III are correct
 - I and II are correct
- The nervous system of Hydra is composed of [Pg-316,E]
 - brain and peripheral nerves
 - network of neurons
 - ganglia and plexuses
 - brain and nerve nets
- Why is nervous system of insects considered better organised as compared to Hydra and Planaria? [Pg-316,M]
 - Insects possess brain, ganglia and neural tissues.
 - Hydra and planaria do not possess nervous system at all.
 - Hydra possess the least developed nerve cord while insects contain highly developed ventral nerve cord.
 - Planaria do not possess brain while a rudimentary brain is found in insects.
- The ganglia found in insects are [Pg-316,E]
 - masses of fat bodies
 - aggregated neurons which gives off nerves
 - point where numerous neurons meet
 - degenerated neuron masses
- Assertion: Nervous system and endocrine system jointly coordinate and integrate activities of organs.
Reason: Endocrine system regulate all the activities of nervous system. [Pg-315,H]
 - Both Assertion and Reason are true and Reason is correct explanation of Assertion.
 - Both Assertion and Reason are true, but Reason is not the correct explanation of Assertion.
 - Assertion is true, but Reason is false.
 - Assertion is false, but Reason is true.
- Assertion: Neural organisation become complex in vertebrates as compared to invertebrates.
Reason: The ganglion in insects acts as a brain. [Pg-316,H]
 - Both Assertion and Reason are true and Reason is correct explanation of Assertion.

- B) Both Assertion and Reason are true, but Reason is not the correct explanation of Assertion.
 C) Assertion is true, but Reason is false.
 D) Assertion is false, but Reason is true.


Para- 21.2

Human Neural System

10. The two major divisions of human neural system are [Pg-316,E]
 A) CNS and brain
 B) ANS and PNS
 C) CNS and PNS
 D) Brain and spinal cord
11. Consider the following statements.
 (A) Central nervous system is the major site of information processing.
 (B) Central nervous system is composed of brain and cranial nerves.
 Select the correct option. [Pg-316,M]
 A) A is true, B is false. B) A is false, B is true.
 C) Both A and B are true. D) Both A and B are false.
12. The major structural component of peripheral nervous system is [Pg-316,E]
 A) spinal cord B) nerves
 C) visceral organs D) all of these
13. Refer to the given diagram and choose the correct option accordingly. [Pg-316,M]



- A) C is the major site of information processing.
 B) A, B and C constitute central nervous system.
 C) C represents neurons.
 D) B is a component of CNS while 'C' constitutes PNS.
14. The nerve fibres of PNS are [Pg-316,E]
 A) afferent B) efferent C) both afferent and efferent D) only motor
15. Refer to the diagram representing the transmission of impulse through PNS. [pg-316,E]



- Which of the following option is most pertinent?
 A) A and B are afferent nerves.
 B) A is afferent nerve while B is efferent nerve
 C) A is efferent nerve while A is afferent nerve.
 D) Both A and B are efferent nerves.

16. Consider the following statements.
 I. Two major division of CNS are somatic neural system and autonomic neural system.

II. Both somatic and autonomic neural system are antagonistic in their functions.

Select the correct option. [Pg-316,M]

- A) I is true, II is false.
- B) Both I and II are true.
- C) I is false, II is true.
- D) Both I and II are false.

17. Select the correct statement. [Pg-316,M]

- A) Somatic neural system consists of both afferent and efferent nerves.
- B) Autonomic neural system consists of only afferent fibres.
- C) Only efferent nerves are found in somatic and autonomic neural system.
- D) Both afferent and efferent fibres are found in somatic and autonomic neural system.

18. The two divisions of autonomic nervous system are [Pg-316,E]

- A) antagonistic to each other
- B) complementary to each other
- C) highly reduced and non-functional in humans
- D) functional as a single system in humans

19. Visceral nervous system within human body [Pg-316,M]

- (1) is the division of peripheral nervous system.
 - (2) is the division of central nervous system.
 - (3) consists of nerve fibres and ganglia.
 - (4) carry impulses from one visceral organ to another.
- Which of the following option is the most appropriate?

- A) 1 and 2 are correct
- B) 2 and 4 are correct
- C) 1, 3 and 4 are correct
- D) 2, 3, 4 are correct

20. Which component of neural system would control the functioning of heart and stomach? [Pg-316,E]

- A) Somatic neural system.
- B) Only sympathetic nervous system.
- C) Only parasympathetic nervous system.
- D) Both sympathetic and parasympathetic nervous system.

21. Match the following columns: [Pg-316,M]

Column-I

- (a) Afferent fibres
- (b) Somatic neural system
- (c) Autonomic neural system
- (d) Efferent fibres

Column-II


- (1) Involuntarily controlled muscles
- (2) Carry impulse away from the CNS
- (3) Voluntarily controlled muscles
- (4) Carry impulse towards the CNS

Which of the following is the correct option?

- | | a | b | c | d |
|-----|----------|----------|----------|----------|
| (A) | 2 | 1 | 3 | 4 |
| (B) | 2 | 3 | 1 | 4 |
| (C) | 4 | 3 | 1 | 2 |
| (D) | 4 | 1 | 3 | 2 |

22. Identify A-C. [Pg-316,M]

Select the correct option.



A)	Spinal cord	Afferent nerves	Efferent nerves
B)	Somatic nervous system	Parasympathetic nervous system	Afferent and efferent nerves
C)	Sympathetic nervous system	Efferent nerves	Afferent nerves
D)	Somatic neural system	Sympathetic nervous system	Parasympathetic nervous system

23. **Assertion:** A person would not be able to perceive hot or cold sensation if afferent fibres of PNS are degenerated in him.

Reason: All the afferent nerve fibres are motor nerves. [Pg-316,H]

A) Both Assertion and Reason are true and Reason is correct explanation of Assertion.

B) Both Assertion and Reason are true, but Reason is not the correct explanation of Assertion.

C) Assertion is true, but Reason is false.

D) Assertion is false, but Reason is true.

24. **Assertion:** Autonomic nervous system is controlled voluntarily by humans.

Reason: All the muscular activities are inhibited by sympathetic nervous system. [Pg-316,H]

A) Both Assertion and Reason are true and Reason is correct explanation of Assertion.

B) Both Assertion and Reason are true, but Reason is not the correct explanation of Assertion.

C) Assertion is true, but Reason is false.

D) Assertion is false, but Reason is true.

Para- 21.3 Neuron As Structural And Functional Unit Of Neural System

25. The basic structural components of a neuron are [Pg-316,E]

A) cell body and axon

B) cell body and dendrites

C) axon and dendrites

D) cell body, axon and dendrites

26. Identify the incorrectly matched pair of cell organelle found in neuron and its function. [Pg-316,317,E]

A) Nucleus – Contain DNA

B) Mitochondria – Energy production

C) Golgi apparatus – Protein synthesis

D) Lysosomes – Scavengers of neurons

27. Neurons differ from a typical cell because of the presence of [Pg-316,E]

A) nucleolus

B) Nissl's granules

C) protein synthesizing machinery

D) microfilaments

28. Nissl bodies are mainly composed of [Pg-316,E]

A) proteins and lipids

B) DNA and RNA

C) nucleic acids and SER

D) free ribosomes and RER

29. The dendrites of a neuron are [Pg-317,M]

A) long, unbranched processes associated with cell body and axon

B) short, highly branched processes of cell body

C) long and branched processes of cell body

D) short, unbranched processes of cell body and axon

30. Which of the following characteristic is correct about dendrites? [Pg-317,E]

A) non-functional, degenerating axons

B) involved in carrying impulse away from the cell body

C) involved in transmitting impulse toward the cell body

D) involved in transmitting impulse toward and away from the cell body

31. The only similarity between the cell body and dendrites is the presence of [Pg-317,E]

A) golgi bodies

B) Nissl's granules

C) nucleus

D) mitochondria

32. While studying the structural details of a neuron, how would you distinguish an axon from a dendrite? [Pg-317,M]

- C) nonpolar D) multipolar
39. A multipolar neuron contains multiple [Pg-317,E]
 A) dendrites B) axons C) axons and dendrites D) synaptic bulbs
40. Select the correct statement regarding unipolar neuron. [Pg-317,M]
 A) It contains cell body only.
 B) It contains one dendrite and one axon.
 C) It contains one dendrite and one cell body only.
 D) It contains one axon only.
41. Match the following columns. [Pg-317,E]
- | Column-I | Column-II |
|-----------------------|----------------------|
| (Types of Neurons) | (Location) |
| (a) Multipolar neuron | (1) Embryonic stages |
| (b) Bipolar neuron | (2) Retina of eyes |
| (c) Unipolar neuron | (3) Cerebral cortex |
- Select the correct option.
- | a | b | c |
|----------|----------|----------|
| A) 3 | 2 | 1 |
| B) 2 | 1 | 3 |
| C) 1 | 3 | 2 |
| D) 2 | 3 | 1 |
42. Consider the following statements. [Pg-317,M]
 (A) Myelinated and non-myelinated neurons are differentiated on the basis of type of neurons.
 (B) Humans contain only myelinated neurons.
 Select the correct option.
 A) A is true, B is false. B) A is false, B is true.
 C) Both A and B are true. D) Both A and B are false.
43. The myelin sheath around the axons is formed by [Pg-317,M]
 A) osteocytes and astrocytes B) astrocytes and Schwann cells
 C) Schwann cells and oligodendrocytes D) oligodendrocytes and osteoclasts
44. Nodes of Ranvier are [Pg-317E]
 A) granulated bodies in cytoplasm
 B) gaps between adjacent myelin sheath on axons
 C) modulated bodies at the ends of dendrites
 D) vesicles at the terminal ends of axons
45. The myelinated neurons are found in [Pg-317,E]
 A) cranial nerves B) spinal nerves
 C) nerves of ANS D) cranial and spinal nerves
46. Consider the following statements. [Pg-317,M]
 (A) Unmyelinated nerve fibres are commonly found in the cranial nerves.
 (B) Unmyelinated nerve fibres transmit impulse at slower rate.
 Select the correct option.
 A) Both A and B are true. B) A is true, B is false.
 C) Both A and B are false. D) A is false, B is true.
47. Assertion: The axons of neurons can receive signals from other neurons.
 Reason: A multipolar neuron contains numerous axons. [Pg-317,H]
 A) Both Assertion and Reason are true and Reason is correct explanation of Assertion.
 B) Both Assertion and Reason are true, but Reason is not the correct explanation of Assertion.
 C) Assertion is true, but Reason is false.
 D) Assertion is false, but Reason is true.
48. Assertion: The speed of nerve impulse along axon would slowdown in the absence of Schwann cells.
 Reason: Schwann cells are abundantly found in cells body of neurons. [Pg-317,H]
 A) Both Assertion and Reason are true and Reason is correct explanation of Assertion.
 B) Both Assertion and Reason are true, but Reason is not the correct explanation of Assertion.
 C) Assertion is true, but Reason is false.

D) Assertion is false, but Reason is true.


Para- 21.3.1

Generation, Conduction and Transmission of Nerve Impulses

49. Select the incorrect statement. [Pg-317,M]
A) Neurons possess the excitability due to their polarised membranes.
B) Neural membrane contains different types of ion channels.
C) A resting neuron is not permeable to any ion.
D) During polarised state, conduction of nerve impulse does not occur along axonal membrane.
50. The potential difference across an axonal membrane during rest is maintained by [Pg-317,E]
A) Na⁺ and Cl⁻ ions B) Na⁺ and K⁺ ions
C) K⁺ and Cl⁻ ions D) Na⁺ and HCO₃⁻ ions
51. The resting axonal membrane is [Pg-317,E]
(1) permeable to K⁺ ions.
(2) permeable to Na⁺ ions.
(3) impermeable to negatively charged proteins of axoplasm.
Select the correct option.
A) 1 and 2 are correct. B) 1, 2 and 3 are correct.
C) 2 and 3 are correct. D) 1 and 3 are correct.
52. Consider the following statements. [Pg-317,M]
(A) At rest, the axoplasm inside the axon contain low concentration of K⁺ ions.
(B) The concentration gradient across axonal membrane is generated due to the different concentration of Na⁺ and K⁺ ions across it.
Select the correct option.
A) A is true, B is false. B) Both A and B are false.
C) A is false, B is true. D) Both A and B are true.
53. When a neuron is not conducting any impulse i.e. resting, the axonal membrane is – [Pg-317,M]
A) Comparatively more permeable to K⁺ and impermeable (nearly impermeable) to Na⁺
B) Impermeable to negatively charged proteins present in the axoplasm
C) Both
D) More permeable to Na⁺ ions than K⁺ ion.
54. In a resting axonal membrane [Pg-317,E]
A) both outside and inside fluid is positively charged.
B) both outside and inside fluid is negatively charged.
C) outside fluid is positively charged while inside is negatively charged.
D) inside fluid is positively charged while outside is negatively charged.
55. Match the following columns. [Pg-317,E]
- | Column-I | Column-II |
|---|-------------------------------|
| (a) Na ⁺ ions during resting stage | (1) More inside, less inside |
| (b) K ⁺ ions during resting stage | (2) More outside, less inside |
| (c) Action potential | (3) Depolarised Membrane |
| (d) Resting potential | (4) Polarised membrane |
- Select the correct option.
- | a | b | c | d |
|------|---|---|---|
| A) 2 | 1 | 4 | 3 |
| B) 2 | 1 | 3 | 4 |
| C) 1 | 2 | 3 | 4 |
| D) 1 | 2 | 4 | 3 |
56. What change would you find in a polarised membrane after a stimulus is applied at a particular point (P)? [Pg-318,M]
A) The whole membrane becomes impermeable to Na⁺ ions.
B) At point P, the membrane allows movement of Na⁺ and K⁺ equally.
C) At point P, the membrane becomes permeable to Na⁺ ions.
D) At point P, the membrane becomes impermeable to both Na⁺ and K⁺ ions.
57. A depolarised axonal membrane contains [Pg-318,E]

- A) is grey in appearance
- B) contain axonal fibres covered by myelin sheath
- C) contain cell bodies of the neurons
- D) both (b) and (c)

86. Refer to the diagram showing sagittal section of human brain. [Pg-320,E]



Identify the parts labelled as A–D.

	A	B	C	D
A)	Cerebrum	Medulla	Cerebellum	Medulla
B)	Hypothalamus	Cerebellum	Medulla	Pons
C)	Corpus callosum	Thalamus	Pons	Cerebral aqueduct
D)	Thalamus	Corpus callosum	Medulla	Cerebellum

87. Thalamus in human brain [Pg-321,M]

- (1) is surrounded by cerebrum.
- (2) acts as a major coordinating centre for sensory and motor signalling.
- (3) is under the direct control of hypothalamus.

Which of the following option is most appropriate?

- A) 1 and 2 are correct.
- B) 2 and 3 are correct.
- C) only 3 is correct.
- D) 1, 2 and 3 are correct.

88. The structure found at the base of thalamus [Pg-321,E]

- A) is vestigial organ.
- B) controls urge of eating and drinking.
- C) involved in thermoregulation.
- D) both (b) and (c).

89. Hypothalamic hormones are secreted by [Pg-321,E]

- A) glial cells
- B) Schwann cells
- C) oligodendrocytes
- D) neurosecretory cells

90. Which part of the brain is responsible for thermoregulation? [Pg-321,E]

- A) Hypothalamus
- B) Corpus callosum
- C) Medulla oblongata
- D) Cerebrum

91. Which of the following structure or region is incorrectly paired with its function? [Pg-321,M]

- A) Medulla oblongata: Controls respiration and cardiovascular reflexes.
- B) Limbic system: Consists of fibre tracts that interconnect different regions of brain; controls movement.
- C) Hypothalamus: Production of releasing hormones and regulation of temperature, hunger and thirst.
- D) Corpus callosum: Band of fibres connecting left and right cerebral hemispheres.

92. Limbic system within human brain is found [Pg-321,M]

- A) at the base of brain stem
- B) inner portion of cerebral hemispheres
- C) adjacent to cerebellum
- D) above the cerebral cortex

93. All the listed structures are the parts of limbic system except [Pg-321,E]
 A) Hippocampus B) amygdala C) medulla D) hypothalamus
94. Consider the following statements.
 (A) Limbic system regulates endocrine activities along with hypothalamus.
 (B) Limbic system helps to regulate excitement, pleasure, rage and fear.
 Select the correct option. [Pg-321,M]
 A) A is true, B is false. B) Both A and B are true.
 C) A is false, B is true. D) Both A and B are false.
95. Match the following columns. [Pg-320,321,M]
Column-I **Column-II**
 (a) Hypothalamus (1) Inner part of cerebral cortex
 (b) White matter (2) Neurosecretory cells
 (c) Amygdala (3) Between thalamus and pons
 (d) Midbrain (4) Part of limbic system
 Select the correct option.
- | | a | b | c | d |
|----|----------|----------|----------|----------|
| A) | 3 | 2 | 1 | 4 |
| B) | 2 | 1 | 4 | 3 |
| C) | 1 | 3 | 2 | 4 |
| D) | 4 | 2 | 3 | 1 |
96. Cerebral aqueduct is found in [Pg-321,E]
 A) forebrain B) midbrain C) hindbrain D) in between forebrain and midbrain
97. Corpora quadrigemina are [Pg-321,E]
 A) four rounded swellings at dorsal portion of midbrain.
 B) two plate-like structures which separate forebrain and midbrain.
 C) circular hollow brain ventricles containing cerebrospinal fluid.
 D) elongated, cylindrical canals which connect midbrain to brainstem. Hindbrain
98. Which of the following structures is not found in hindbrain? [Pg-321,E]
 A) Pons B) Cerebellum C) Medulla D) Hippocampus
99. What is the function of pons? [Pg-321,E]
 A) It conveys information from midbrain to target organs.
 B) It controls involuntary smooth muscles and voluntary skeletal muscles.
 C) It interconnects different regions of the brain.
 D) All of these.
100. How can cerebellum be differentiated from the pons of hindbrain? [Pg-321,M]
 A) Cerebellum has white matter outside while pons contain grey matter outside.
 B) Cerebellum has highly convoluted surface while pons contain fibre tracts.
 C) Cerebellum is smaller in size as compared to pons.
 D) All of these.
101. Consider the following statements. [Pg-321,M]
 (A) Cerebellum is a part of hindbrain.
 (B) Cerebellum helps to maintain body posture and equilibrium.
 Select the correct option.
 A) A is true, B is false B) Both A and B are false.
 C) Both A and B are true. D) A is false, B is true.
102. The medulla oblongata [Pg-321,M]
 (1) is a part of hindbrain.
 (2) control autonomic functions like breathing, heart rate, etc
 (3) relay motor and sensory signals between spinal cord and higher brain regions. Select the most appropriate option.
 A) 1, 2 and 3 are correct. B) 1 and 2 are correct.
 C) Only 1 is correct. D) Only 2 is correct.
103. The brain stem is formed by [Pg-320,E]
 A) forebrain, midbrain, hindbrain

- B) midbrain, hindbrain
 C) cerebrum, cerebellum, spinal cord
 D) midbrain, pons, medulla oblongata
104. Match the following columns. [Pg-320,321,M]
Column-I **Column-II**
 (a) Brain stem (1) Emotions
 (b) Cerebellum (2) Brain ventricle Containing CSF
 (c) Limbic system (3) Breathing and consciousness
 (d) Cerebral aqueduct (4) Balance and coordination
- Select the correct option.
- | | a | b | c | d |
|------|----------|----------|----------|----------|
| A) 4 | 3 | 2 | 1 | |
| B) 2 | 1 | 4 | 3 | |
| C) 3 | 4 | 1 | 2 | |
| D) 1 | 2 | 3 | 4 | |
105. Assertion: Cerebral cortex appear grey in colour.
 Reason: It contains the cell bodies of the neurons. [Pg-321,H]
 A) Both Assertion and Reason are true and Reason is correct explanation of Assertion.
 B) Both Assertion and Reason are true, but Reason is not the correct explanation of Assertion.
 C) Assertion is true, but Reason is false.
 D) Assertion is false, but Reason is true.
106. Assertion: Association areas can carry out complex functions like communication and memory.
 Reason: These areas are completely motor in nature. [Pg-321,H]
 A) Both Assertion and Reason are true and Reason is correct explanation of Assertion.
 B) Both Assertion and Reason are true, but Reason is not the correct explanation of Assertion.
 C) Assertion is true, but Reason is false.
 D) Assertion is false, but Reason is true.
107. Assertion: Damage of limbic system would affect the emotional behaviour of a person.
 Reason: The amygdale is the emotion centre of the brain. [Pg-321,H]
 A) Both Assertion and Reason are true and Reason is correct explanation of Assertion.
 B) Both Assertion and Reason are true, but Reason is not the correct explanation of Assertion.
 C) Assertion is true, but Reason is false.
 D) Assertion is false, but Reason is true.

Para- 21.5

Reflex Actions and Reflex arc

108. Reflex action is [Pg-322,E]
 A) voluntarily controlled response of CNS.
 B) involuntary response to peripheral nervous stimulation.
 C) involuntary response to environmental stimulus which does not involve CNS.
 D) Both (B) and (C)
109. The reflex actions are controlled by [Pg-322,E]
 A) CNS B) PNS C) ANS D) Both (B) and (C)
110. The reflex pathway is composed of [Pg-322,E]
 A) afferent neurons only B) efferent neurons only
 C) motor neurons only D) Both (A) and (B)
111. Consider the following statements. [Pg-322,M]
 (A) Afferent neurons are found close to the sensory organs.
 (B) The efferent neurons carry signals from CNS to the effectors.
 Select the correct option.
 A) A is true, B is false. B) Both A and B are false.
 C) A is false, B is true. D) Both A and B are true.
112. Which of the following option represents the correct sequence of nerve impulse transmission in a reflex arc? [Pg-322,M]
 A) Interneuron Dorsal root ganglion Sensory organ

- B) CNS Efferent neuron Interneuron
 C) Sensory organ Afferent neuron Dorsal root ganglion
 D) Efferent neuron CNS Afferent neuron
113. In a reflex arc, what is the role of an interneuron? **[Pg-322E]**
 A) It relays impulse to effector at motor end plate.
 B) It transmits impulse from the white matter to grey matter of spinal cord.
 C) It receives impulse from afferent neuron and transmits it to motor neuron.
 D) It connects two dorsal root ganglions.
114. Among the following listed structures, knee-jerk doesn't involve **[Pg-322,E]**
 A) motor neuron B) spinal cord C) interneuron D) brain
115. In the given diagram of reflex action, identify A, B and C. **[Pg-322,M]**
 Select the correct option.
116. Assertion: All autonomic actions of body are reflex action.
 Reason: Reflex actions do not require CNS. **[Pg-322,H]**
 A) Both Assertion and Reason are true and Reason is correct explanation of Assertion.
 B) Both Assertion and Reason are true but Reason is not the correct explanation of Assertion.
 C) Assertion is true, but Reason is false.
 D) Assertion is false, but Reason is true.
117. Assertion: Sneezing in response to an allergen is reflex action
 Reason: It is an involuntary action. **[Pg-322,H]**
 A) Both Assertion and Reason are true and Reason is correct explanation of Assertion.
 B) Both Assertion and Reason are true, but Reason is not the correct explanation of Assertion.
 C) Assertion is true, but Reason is false.
 D) Assertion is false, but Reason is true.
118. Assertion: In a reflex arc, efferent neuron receives signal from sensory organ.
 Reason: The afferent neuron relays impulses to PNS in a reflex arc.
 A) Both Assertion and Reason are true and Reason is correct explanation of Assertion.
 B) Both Assertion and Reason are true, but Reason is not the correct explanation of Assertion.
 C) Assertion is true, but Reason is false.
 D) Assertion is false, but Reason is true.


Para-21.6

Sense Organs: Nose and Tongue

119. Consider the following statements.
 (A) The olfactory receptors help us to receive the sense of smell.
 (B) The olfactory receptors are coated by mucus.
 Select the correct option. **[Pg-323,M]**
 A) A is true, B is false. B) Both A and B are false.
 C) A is false, B is true D) Both (A) and (B) are true.
120. The olfactory epithelium is made up of **[Pg-323,E]**
 A) sensory cells B) basal cells
 C) sensory, sustentacular and basal cells D) sustentacular and sensory cells
121. The olfactory epithelium neurons transmit the signals from **[Pg-323,E]**
 A) environment to olfactory bulb
 B) one olfactory bulb to another
 C) olfactory bulb to PNS
 D) environment to CNS
122. To which region of brain, olfactory bulb is connected? **[Pg-323,E]**
 A) Cerebrum B) Limbic system C) Cerebral aqueduct D) Corpus callosum
123. Gustation and olfaction are achieved through **[Pg-323,E]**
 A) proprioceptors B) mechanoreceptors
 C) baroreceptors D) chemoreceptors
124. Consider the following statements.
 (A) The gustatory receptors are found at the base of tongue.
 (B) The tongue detects taste through taste buds.

- A) Nonvascular, opaque portion of eye
 B) Pigmented, opaque and vascular structure of eye.
 C) Nonvascular, visible coloured portion of eye.
 D) Vascular, non-pigmented posterior most portion of eye.
135. The transparent lens in the human eye is held in its place by [Pg-324,E]
 A) ligament attached to ciliary body
 B) ligaments attached to the iris
 C) smooth muscles attached to the iris
 D) smooth muscles attached to the ciliary body
136. An aperture in front of lens is called [Pg-324,E]
 A) fovea B) blind spot C) pupil D) iris
137. The diameter of pupil is regulated by [Pg-324,E]
 A) aqueous humor B) retina C) rods D) iris
138. How many neural cells are found in retina? [Pg-324,E]
 A) Two B) Five C) Three D) Four
139. The arrangement of neural cells in retina from inside to outside is [Pg-324,E]
 A) ganglion cells, bipolar cells, photoreceptors cells.
 B) photoreceptor cells, ganglion cells, bipolar cells.
 C) bipolar cells, ganglion cells, photoreceptor cells.
 D) bipolar cells, photoreceptor cells, ganglion cells.
140. Within retina, the rods and cones are the type of [Pg-324,E]
 A) bipolar and photoreceptor cells, respectively
 B) ganglion cells
 C) photoreceptor cells
 D) photoreceptor and ganglion cells
141. Consider the following statements.
 (A) Photopigments are light sensitive proteins in rods and cones.
 (B) Rods contain rhodopsin while cones contain three different type of photopigments.
 Select the correct option. [Pg-324,M]
 A) A is true, B is false. B) Both A and B are true.
 C) A is false, B is true. D) Both A and B are false.
142. Match the following columns. [Pg-324,M]
Column-I **Column-II**
 (a) Iris (1) Secrete aqueous humor
 (b) Ciliary body (2) Photosensitive layer of eye
 (c) Retina (3) Devoid of receptor cells
 (d) Blind spot (4) Regulate the amount of light entering into eyes
 Select the correct option.
 a b c d
 A) 2 3 4 1
 B) 4 1 2 3
 C) 1 2 3 4
 D) 3 4 1 2
143. The cone cells of retina provide [Pg-324,E]
 A) photopic vision B) colour vision
 C) photopic and colour vision D) scotopic vision
144. Which of the following statements is not correct? [Pg-324,M]
 A) In the knee-jerk reflex, stimulus is the stretching of muscle and response is its contraction.
 B) An action potential in an axon does not move backward because the segment behind is in a refractory phase.
 C) Depolarisation of hair cells of cochlea results in the opening of the mechanically gated potassium-ion channels.
 D) Rods are very sensitive and contribute to daylight vision.
145. Rhodopsin in the rod cells of retina [Pg-324E]

- (1) is purplish-red protein.
 (2) contains opsin protein.
 (3) contains retinene which is an aldehyde of vitamin D.
 Select the most appropriate option.
 A) 1 and 2 are correct. B) 1 and 3 are correct.
 C) Only 2 is correct. D) 1, 2 and 3 are correct.
146. Good vision depends on adequate intake of carotene rich food.
 Select the best option from the following statements. [Pg-324,M]
 (A) Vitamin A derivatives are formed from carotene.
 (B) The photopigments are embedded in the membrane discs of the inner segment.
 (C) Retinal is derivative of Vitamin A.
 (D) Retinal is a light absorbing part of all the visual photopigments.
 Options:
 A) B, C, A B) A, B C) A, C, D D) A, C
147. Which of the following options is wrong? [Pg-324,E]
 A) Eye muscles are attached with sclera
 B) Visual purple is concerned with dim light, while visual violet is concerned with bright light
 C) The colour differentiation is done by cones
 D) None
148. What would happen if the three photopigments of cone cells are stimulated equally? [Pg-324,E]
 A) No colour vision and daylight vision would be produced.
 B) Sensation of black light would be produced
 C) Sensation of white light would be produced.
 D) Mosaic vision of different colours would be produced.
149. Photosensitive compound in human eye is made up of [Pg-324,E]
 A) opsin and retinal
 B) opsin and retinol
 C) transducin and retinene
 D) guanosine and retinol
150. Consider the following statements.
 (A) The optic nerves and blood vessels enter the eyes through blind spot.
 (B) Blind spot contains abundant rod cells but no cone cells. Select the correct option. [Pg-324,M]
 A) A is true, B is false. B) Both A and B are false.
 C) A is false, B is true. D) Both A and B are true.
151. Select the correct statement. [Pg-324,M]
 A) Macula lutea is a red coloured spot at the entrance of optic nerves.
 B) Fovea is the central portion of macula lutea, containing abundant cone cells.
 C) Macula lutea is the only structure of retina which contain rod and cone cells.
 D) No true image is formed at fovea due to the overlapping of photoreceptor cells.
152. The point of greatest visual acuity in human eye is [Pg-324,E]
 A) fovea B) blind spot C) iris D) pupil
153. Consider the following statements.
 (A) Aqueous chamber containing aqueous humor is found in the space between lens and retina.
 (B) Vitreous chamber containing vitreous humor is found in the space between lens and cornea.
 Select the correct option. [Pg-324,M]
 A) A is true, B is false. B) Both A and B are false.
 C) A is false, B is true. D) Both A and B are true.
154. In the given structure of human eye, identify the location of fovea, cornea choroid and sclera. [Pg-323,E]



- | | Fovea | Cornea | Choroid | Sclea |
|------|--------------|---------------|----------------|--------------|
| A) B | | C | A | D |
| B) G | | B | D | A |
| C) F | | B | E | G |
| D) D | | A | B | C |
155. The light rays of visible wavelength are focused on **[Pg-324]**
 A) retina through cornea B) lens through pupil
 C) pupil through iris D) retina through iris
156. How does the potential differences generated in photoreceptor cells when light of suitable wavelength enters the human eye? **[Pg-324,E]**
 A) Light cause chemical modification of rhodopsin and iodopsin so that they form a new compound.
 B) Light causes the conversion of opsin to retinal.
 C) Light causes dissociation of opsin and retinal so as to cause structural changes of opsin.
 D) Light causes destruction of opsin and retinal so that iodopsin can change membrane potential.
157. The route of transmission of action potential by optic nerves to visual cortex of brain is **[Pg-324,E]**
 A) Photoreceptor cells » Bipolar cells » Ganglion cells.
 B) Ganglion cells » Bipolar cells » Photoreceptor cells
 C) Bipolar cells » Photoreceptor cells » Ganglion cells
 D) Bipolar cells » Ganglion cells » Photoreceptor cells
158. Assertion: Sclera and cornea form the fibrous coat of human eye.
 Reason: Sclera and cornea contain abundant blood vessels. **[Pg-323,H]**
 A) Both Assertion and Reason are true and Reason is correct explanation of Assertion.
 B) Both Assertion and Reason are true, but Reason is not the correct explanation of Assertion.
 C) Assertion is true, but Reason is false.
 D) Assertion is false, but Reason is true.
159. Assertion: The posterior region of the eyeball possesses the points of no vision and maximum visual resolution.
 Reason: Fovea contain abundant rod cells but lack cone cells. **[Pg-324H]**
 A) Both Assertion and Reason are true and Reason is correct explanation of Assertion.
 B) Both Assertion and Reason are true, but Reason is not the correct explanation of Assertion.
 C) Assertion is true, but Reason is false.
 D) Assertion is false, but Reason is true.
160. Assertion: Neural impulses are analysed by the visual cortex of the brain.
 Reason: Image formed on retina is recognised based on earlier memory and experience. **[Pg-324,H]**
 A) Both Assertion and Reason are true and Reason is correct explanation of Assertion.
 B) Both Assertion and Reason are true, but Reason is not the correct explanation of Assertion.
 C) Assertion is true, but Reason is false.
 D) Assertion is false, but Reason is true.

EAR

161. The structural component of external ear is **[Pg-325,E]**
 A) pinna
 B) pinna and auditory meatus
 C) pinna, auditory meatus and eardrum
 D) auditory meatus and tympanic membrane
162. Consider the following statements.

- (A) Fine hairs and wax secreting glands are found in the skin of pinna and auditory meatus.
 (B) Pinna and auditory meatus are vestigial organs of human ear.

Select the correct option. [Pg-325,M]

- A) A is true, B is false. B) Both A and B are false.
 C) A is false, B is true. D) Both A and B are true.
163. The wax-secreting glands in auditory meatus is [Pg-325,E]
 A) Weber's glands B) Ebner's glands
 C) Ceruminous glands D) Krause's glands
164. The membrane found between the outer and middle ear is [Pg-325,E]
 A) basilar membrane B) Reissner's membrane
 C) tympanic membrane D) tectorial membrane
165. The outer and inner surface of tympanic membrane is composed of [Pg-325,E]
 A) connective tissues B) mucus membrane
 C) mucus membrane outside and connective tissue inside
 D) connective tissue outside and mucus membrane inside
166. The middle ear consists of [Pg-325,E]
 A) ear ossicles
 B) cochlea and labyrinth
 C) auditory meatus and tympanic membrane
 D) ear ossicles and cochlea

167. Match the following columns. [Pg-325,M]

Column-I

Column-II

- (a) Auditory meatus (1) Receive sound vibrations from environment
 (b) Pinna (2) Conduct vibrations to tympanic membrane
 (c) Ear ossicles (3) Conduct vibrations to inner ear

Select the correct option.

- | | a | b | c |
|------|----------|----------|----------|
| A) 1 | 3 | 2 | |
| B) 3 | 1 | 2 | |
| C) 2 | 1 | 3 | |
| D) 1 | 2 | 3 | |
168. The arrangement of ear ossicles from outer to inner ear is [Pg-325,E]
 A) stapes, malleus, incus
 B) incus, stapes, malleus
 C) malleus, stapes, incus
 D) malleus, incus, stapes

169. Select the incorrect statement. [Pg-325,E]

- A) The stapes is found attached to the oval window of cochlea.
 B) Ear ossicles increase the efficiency of sound wave transmission to inner ear.
 C) Eustachian tube connects inner ear to the pharynx.
 D) Eustachian tube helps in equalising the pressure on either side of tympanic membrane.

170. Consider the following statements.

- (A) The fluid-filled inner ear has two parts - bony labyrinth and membranous labyrinth.
 (B) The membranous labyrinth surrounds the bony labyrinth in inner ear.

Select the correct option. [Pg-325,M]

- A) A is true, B is false. B) A is false, B is true.
 C) Both A and B are false. D) Both A and B are true.

171. Match the following columns. [Pg-325,M]

Column-I

Column-II

- (a) Labyrinth (1) Ear drum
 (b) Tympanic membrane (2) Filled with perilymph
 (c) Bony labyrinth (3) Inner ear
 (d) Membranous labyrinth (4) Filled with endolymph

Choose the most appropriate match.

- | | | | | |
|----|----------|----------|----------|----------|
| | a | b | c | d |
| A) | 3 | 1 | 4 | 2 |
| B) | 3 | 1 | 2 | 4 |
| C) | 1 | 3 | 2 | 4 |
| D) | 1 | 3 | 4 | 2 |

172. Identify the incorrectly matched pair. [Pg-325,E]
- A) Membranous labyrinth Surrounded by perilymph
 B) Scala vestibuli Coiled portion of labyrinth
 C) Cochlea Responsible for hearing
 D) Scala media Filled with endolymph
173. Within the bony labyrinth, the three chambers (upper to lower) are [Pg-325,E]
- A) scala vestibuli, scala media, scala tympani
 B) scala tympani, scala corti, scala media
 C) scala utricule, scala media, scala vestibule
 D) scala corti, scala media, scala vestibuli

174. Match the following columns. [Pg-325,E]

Column-I

- (a) Reissner's membrane
 (b) Basilar membrane
 (c) Tympanic membrane
 (d) Tectorial membrane

Column-II


- (1) In between outer and middle ear
 (2) A component of organ of corti
 (3) In between scala vestibuli and scala media
 (4) In between scala media and scala tympani

Select the most appropriate option.

- | | | | | |
|----|----------|----------|----------|----------|
| | a | b | c | d |
| A) | 4 | 2 | 1 | 3 |
| B) | 2 | 3 | 4 | 1 |
| C) | 4 | 3 | 1 | 2 |
| D) | 3 | 4 | 1 | 2 |

175. The scala vestibuli and scala tympani terminates at [Pg-326,E]
- A) oval window of cochlea.
 B) round window of middle ear.
 C) oval window and round window, respectively.
 D) round window and oval window, respectively.

176. In the given diagram of cochlea, identify A, B and C. [Pg-326,E]




Select the correct option.

	A	B	C
A)	Reissner's membrane	Organ of corti	Tectorial membrane
B)	Tectorial membrane	Utricule	Basilar membrane
C)	Basilar membrane	Tectorial membrane	Reissner's membrane
D)	Basilar membrane	Macula	Organ of Corti

177. The organ of corti within cochlea can be located on [Pg-326,E]
- A) tectorial membrane B) basilar membrane
 C) Reissner's membrane D) tympanic membrane
178. Select the incorrect statement regarding the structure of organ of corti. [Pg-326,E]
- A) It contains hair cells that acts as auditory receptors.
 B) The hair cells are found on the inner side, arranged in rows.
 C) The basal end of hair cells is closely associated with the afferent nerve fibre.
 D) In between ends of hair cells and afferent nerves, tectorial membrane is present.

179. What is the location of vestibular apparatus in human ear? [Pg-326,E]
 A) Adjacent to malleus of middle ear.
 B) Above the cochlea of inner ear.
 C) At the junction of round window and Eustachian tube.
 D) Within the Eustachian tube.
180. Vestibular apparatus consists of [Pg-326,E]
 A) otoliths and organ of corti
 B) organ of corti only
 C) semicircular canals only
 D) semicircular canals and otolith
181. Consider the following statements.
 (A) The three semicircular canals of inner ear are found in different planes at right angle to each other.
 (B) The two semicircular canals play major role in hearing while the third canal is vestigial.
 Select the correct option. [Pg-326,M]
 A) A is true, B is false. B) A is false, B is true.
 C) Both A and B are false. D) Both A and B are true.
182. The sensory part of otoliths is [Pg-326,E]
 A) utricle B) saccule C) macula D) Both (A) and (B)
183. Crista ampullaris containing hair cells is found [Pg-326,E]
 A) within otoliths. B) at the base of semicircular canals.
 C) within the semicircular canals. D) at the tip of semicircular canals and otoliths.
184. Which of the following receptors are specifically responsible for maintenance of balance of body and posture? [Pg-327,E]
 A) Crista ampullaris and macula
 B) Basilar membrane and otoliths
 C) Hair cells and organ of corti
 D) Tectorial membrane and macula
185. Refer to the given diagram and identify the correct function of the labelled structures. [Pg-325,E]



- A) B – Stapes – Vibration of oval window
 B) A – Auditory meatus – Transmit neural signals to auditory cortex
 C) D – Semicircular canals – Amplification of auditory signals
 D) C – Cochlea – Main hearing organ
186. Refer to the following events which occur during hearing. [Pg-327,E]
 (I) Rippling in basilar membrane
 (II) Waves in the lymph of cochlea
 (III) Vibration of ear drum
 (IV) Pressing of hair cells against the tectorial membrane
 Select the correct order in which the following events occur.
 A) II, III, I, IV B) I, IV, II, III
 C) III, II, I, IV D) II, IV, I, III
187. How does the nerve impulses in ear are generated? [Pg-327,E]
 A) Due to the bending of hair cells towards tectorial membrane.
 B) Due to the vibrations in utricle and otoliths.
 C) Due to the streaming of perilymph in semicircular canals.
 D) Due to the contact between crista ampullaris and macula.
188. Assertion: Stapes is found attached to the tympanic membrane.

Reason: Stapes is the largest ear bone. [Pg-326,H]

- A) Both Assertion and Reason are true and Reason is correct explanation of Assertion.
- B) Both Assertion and Reason are true, but Reason is not the correct explanation of Assertion.
- C) Assertion is true, but Reason is false.
- D) Assertion is false, but Reason is true.

189. Assertion: The hair cells of organ of corti acts as auditory receptors.

Reason: The base of hair cells is in close contact with afferent fibres of auditory nerves. [Pg-325,H]

- A) Both Assertion and Reason are true and Reason is correct explanation of Assertion.
- B) Both Assertion and Reason are true, but Reason is not the correct explanation of Assertion.
- C) Assertion is true, but Reason is false.
- D) Assertion is false, but Reason is true.

190. Assertion: Vestibular apparatus has no role in hearing.

Reason: Crista and macula helps in maintaining body posture and balance. [Pg-326,H]

- A) Both Assertion and Reason are true and Reason is correct explanation of Assertion.
- B) Both Assertion and Reason are true, but Reason is not the correct explanation of Assertion.
- C) Assertion is true, but Reason is false.
- D) Assertion is false, but Reason is true.

NEET PREVIOUS YEARS QUESTIONS

1. Nissl bodies are mainly composed of [2018]
(a) proteins and lipids. (b) DNA and RNA.
(c) free ribosomes and RER. (d) nucleic acids and SER.
2. The transparent lens in the human eye is held in its place by [2018]
(a) ligaments attached to the ciliary body. (b) ligaments attached to the iris.
(c) smooth muscles attached to the ciliary body. (d) smooth muscles attached to the iris.
3. Good vision depends on adequate intake of carotene rich food. Select the best option from the following statements. [2017]
(i) Vitamin A derivatives are formed from carotene.
(ii) The photopigments are embedded in the membrane discs of the inner segment.
(iii) Retinal is a derivative of vitamin A.
(iv) Retinal is a light absorbing part of all the visual photopigments.
(a) (i), (iii) and (iv) (b) (i) and (iii) (c) (ii), (iii) and (iv) (d) (i) and (iv)
4. Myelin sheath is produced by [2017]
(a) astrocytes and Schwann cells. (b) oligodendrocytes and osteoclasts.
(c) osteoclasts and astrocytes. (d) Schwann cells and oligodendrocytes.
5. Receptor sites for neurotransmitters are present on [2017]
(a) pre-synaptic membrane. (b) tips of axons.
(c) post-synaptic membrane. (d) membrane of synaptic vesicles.
6. Photosensitive compound in human eye is made up of : [2016]
(a) guanosine and retinol (b) opsin and retinal
(c) opsin and retinol (d) transducin and retinene
7. Destruction of the anterior horn cell of the spinal cord would result in loss of [2015]
(a) voluntary motor impulses. (b) commissural impulses.
(c) integrating impulses. (d) sensory impulses.
8. Which of the following regions of the brain is incorrectly paired with its function? [2015]
(a) Cerebellum – Language comprehension
(b) Corpus callosum – Communication between the left and right cerebral cortices
(c) Cerebrum – Calculation and contemplation
(d) Medulla oblongata – Homeostatic control
9. In mammalian eye, the 'fovea' is the centre of the visual field, where [2015]
(a) the optic nerve leaves the eye. (b) only rods are present.
(c) more rods than cones are found. (d) high density of cones occur, but has no rods.

10. A gymnast is able to balance his body upside down even in the total darkness because of _____. [2015]
 (a) vestibular apparatus (b) tectorial membrane (c) organ of Corti (d) cochlea
11. Which one of the following statements is **not correct**? [2014]
 (a) Retinal is the light absorbing portion of visual photopigments.
 (b) In retina, the rods have the photopigment rhodopsin while cones have three different photopigments.
 (c) Retinal is a derivative of vitamin C.
 (d) Rhodopsin is the purplish red protein present in rods only.
12. Stimulation of a muscle fibre by a motor neuron occurs at [2014]
 (a) the neuromuscular junction. (b) the transverse tubules.
 (c) the myofibril. (d) the sarcoplasmic reticulum.
13. Injury localised to the hypothalamus would most likely disrupt [2014]
 (a) short - term memory. (b) co-ordination during locomotion.
 (c) executive functions, such as decision making. (d) regulation of body temperature.
14. Which part of the brain is responsible for thermoregulation? (NEET-2019)
 (1) Cerebrum (2) Hypothalamus (3) Corpus callosum (4) Medulla oblongata
15. Which of the following statements is correct? (NEET-2019)
 (1) Cornea is an external, transparent and protective proteinacious covering of the eye-ball.
 (2) Cornea consists of dense connective tissue of elastin and can repair itself.
 (3) Cornea is convex, transparent layer which is highly vascularised.
 (4) Cornea consists of dense matrix of collagen and is the most sensitive portion of the eye.
16. Which of the following statements is not correct? (NEET-2019 ODISSA)
 (1) An action potential in an axon does not move backward because the segment behind is in a refractory phase
 (2) Depolarisation of hair cells of cochlea results in the opening of the mechanically gated potassium -ion channels.
 (3) Rods are very sensitive and contribute to daylight vision.
 (4) In the knee-jerk reflex, stimulus is the stretching of muscle and response is its contraction.
17. Which of the following receptors are specifically responsible for maintenance of balance of body and posture? (NEET-2019 ODISSA)
 (1) Basilar membrane and otoliths (2) Hair cells and organ of corti
 (3) Tectorial membrane and macula (4) Crista ampullaris and macula
18. Match the following columns and select the correct option: (NEET-2020 COVID)
- | Column - I | Column - II |
|--|--|
| (a) Rods and | (i) Absence of Cones photoreceptor cells |
| (b) Blind Spot | (ii) Cones are densely packed |
| (c) Fovea | (iii) Photoreceptor cells |
| (d) Iris | (iv) Visible coloured portion of the eye |
| (1) (a)-(iii), (b)-(i), (c)-(ii), (d)-(iv) | (2) (a)-(ii), (b)-(iii), (c)-(i), (d)-(iv) |
| (3) (a)-(iii), (b)-(iv), (c)-(ii), (d)-(i) | (4) (a)-(ii), (b)-(iv), (c)-(iii), (d)-(i) |
19. Which of the following is associated with decrease in cardiac output? (NEET-2020 COVID)
 (1) Sympathetic nerves (2) Parasympathetic neural signals
 (3) Pneumotaxic centre (4) Adrenal medullary hormones
20. Match the following columns and select the correct option (NEET-2020)
- | Column-I | Column-II |
|--------------------|-------------------------------------|
| a) Organ of Corti | i) Connects middle ear and pharynx |
| b) Cochlea | ii) Coiled part of the labyrinth |
| c) Eustachian tube | iii) Attached to the oval window |
| d) Stapes | iv) Located on the basilar membrane |
- | a) | b) | c) | d) |
|--------|-----|----|-----|
| 1) i | ii | iv | iii |
| 2) ii | iii | i | iv |
| 3) iii | i | iv | ii |
| 4) iv | ii | i | iii |

21. Select the incorrect statement regarding synapses:

(NEET-2022)

- 1) The membranes of presynaptic and postsynaptic neurons are in close proximity in an electrical synapse.
- 2) Electrical current can flow directly from one neuron into the other across the electrical synapse.
- 3) Chemical synapses use neurotransmitters
- 4) Impulse transmission across a chemical synapse is always faster than that across an electrical synapse.

22. Given below are two statements:

Statement I: The cerebral hemispheres are connected by nerve tract known as corpus callosum.

Statement II: The brain stem consists of the medulla oblongata, pons and cerebrum.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (a) Both Statement I and Statement II are correct.
- (b) Both Statement I and Statement II are incorrect.
- (c) Statement I is correct but Statement II is incorrect.
- (d) Statement I is incorrect but Statement II is correct.

[NEET 2024]

23. The parts of human brain that helps in regulation of sexual behaviour, expression of excitement, pleasure, rage, fear etc. are:

- (a) Corpora quadrigemina and hippocampus
- (b) Brain stem and epithalamus
- (c) Corpus callosum and thalamus
- (d) Limbic system and hypothalamus

[NEET 2023]

24. Match List I with List II

	List I		List II
A.	Pons	I.	Provides additional space for Neurons, regulates posture and balance.
B.	Hypothalamus	II.	Controls respiration and gastric secretions.
C.	Medulla	III.	Connects different regions of the brain.
D.	Cerebellum	IV.	Neuro secretory cells

Choose the correct answer from the options given below :

- (a) A-II, B-III, C-I, D-IV
- (b) A-III, B-IV, C-II, D-I
- (c) A-I, B-III, C-II, D-IV
- (d) A-II, B-I, C-III, D-IV

[NEET 2024]

25. Given below are two statements :

Statement I :- The nose contains mucus - coated receptors which are specialised for receiving the sense of smell and are called olfactory receptors.

Statement II :- Wall of the eye ball has three layers. The external layer is called choroid (dense connective tissue), middle layer is sclera (thin pigmented layer) and internal layer is retina (ganglion cells, bipolar cells and photoreceptor cells).

In the light of the above statements, choose the correct answer from the options given below:

- (a) Statement I is true but statement II is false
- (b) Statement I is false but Statement II is true
- (c) Both Statement I and Statement II are true
- (d) Both Statement I and Statement II are false.

[NEET 2023 Manipur]

26. Match List I with List II with respect to human eye.

	List I		List II
(A)	Fovea	(I)	Visible coloured portion of eye that regulates diameter of pupil.
(B)	Iris	(II)	External layer of eye formed of dense connective tissue.
(C)	Blind spot	(III)	Point of greatest visual acuity or resolution.
(D)	Sclera	(IV)	Point where optic nerve leaves the eyeball and

Choose the correct answer from the options given below:

- (a) A-I, B-IV, C-III, D-II
- (b) A III - B-IV, C-I, D-II
- (c) A-II, B-I, C-III, D-IV
- (d) A-III, B-I, C-IV, D-II

27. Cardiac activities of the heart are regulated by:

- A. Nodal tissue
- B. A special neural centre in the medulla oblongata
- C. Adrenal medullary hormones
- D. Adrenal cortical hormones

Choose the correct answer from the options given below:

- (a) A, B and C Only.
- (b) A, B, C and D
- (c) A, C and D Only
- (d) A, B and D Only

[NEET 2025]

NCERT LINE BY LINE QUESTIONS – ANSWERS

1) D	2) D	3) C	4) A	5) B	6) A	7) B	8) C	9) B	10) C
11) A	12) B	13) D	14) C	15) B	16) C	17) D	18) A	19) A	20) D
21) D	22) D	23) C	24) C	25) D	26) C	27) B	28) D	29) B	30) C
31) C	32) A	33) C	34) C	35) B	36) C	37) B	38) B	39) A	40) D
41) A	42) A	43) C	44) B	45) D	46) D	47) D	48) C	49) C	50) B
51) D	52) C	53) C	54) B	55) B	56) C	57) B	58) A	59) B	60) A
61) D	62) C	63) A	64) D	65) C	66) D	67) C	68) B	69) B	70) D
71) C	72) A	73) C	74) D	75) D	76) C	77) A	78) C	79) C	80) B
81) C	82) A	83) D	84) B	85) B	86) C	87) A	88) D	89) D	90) A
91) B	92) B	93) C	94) B	95) B	96) B	97) A	98) D	99) C	100) B
101) C	102) A	103) D	104) C	105) A	106) C	107) A	108) B	109) A	110) D
111) D	112) C	113) C	114) D	115) B	116) D	117) B	118) D	119) D	120) C
121) A	122) B	123) D	124) C	125) C	126) B	127) B	128) A	129) D	130) C
131) D	132) A	133) D	134) B	135) A	136) C	137) D	138) C	139) A	140) C
141) B	142) B	143) C	144) D	145) A	146) D	147) D	148) C	149) A	150) A
151) B	152) A	153) D	154) C	155) A	156) C	157) A	158) C	159) C	160) B
161) B	162) A	163) C	164) C	165) D	166) A	167) C	168) D	169) C	170) A
171) B	172) B	173) A	174) D	175) C	176) A	177) B	178) D	179) B	180) D
181) A	182) C	183) B	184) A	185) C	186) C	187) A	188) D	189) A	190) B

NEET PREVIOUS YEARS QUESTIONS-ANSWERS

- 1 (c) 2 (a) 3 (a) 4 (d) 5 (c) 6 (b) 7 (a) 8 (a) 9 (d) 10 (a)
 11 (c) 12 (a) 13 (d) 14 (2) 15 (1) 16 (3) 17 (4) 18 (1) 19 (2) 20 (4) 21 (4)
 22 (c) 23 (d) 24 (b) 25 (a) 26 (d) 27 (a)

NEET PREVIOUS YEARS QUESTIONS-EXPLANATIONS

1. (c) Nissl bodies are present in the soma or cell body of a neuron. When observed under electron microscope, they appear to be composed of rough endoplasmic reticulum (RER) and free ribosomes hence help in protein synthesis.
2. (a) The muscles that move the eyeball are attached to the sclera. Suspensory ligament of lens - a series of fibres that connect the ciliary body of the eye with the lens, holding it in place.
3. (a) Carotene is the source of retinal which is involved in formation of rhodopsin of rod cells. Retinal, a derivative of vitamin A, is the light-absorbing part of all visual photopigments. Photopigments occur entirely on the surface of membrane disc.
4. (d) Myelin sheath is the insulating covering that wraps around the nerve axon and discontinuous at the nodes of Ranvier. Myelin sheath is produced by oligodendrocytes (neuroglial cells which produce myelin sheath in central nervous system) and Schwann cell (which produces myelin sheath in peripheral nervous system.)
5. (c) 6. (b)
7. (a) In poliomyelitis, anterior horn cells of spinal cord are destructed which causes loss of motor activities of limbs.
8. (a) Cerebellum maintains the balance and body posture. It is not concerned with language part.
9. (d) Fovea centralis is the most sensitive part of retina. It has high density of cones, but rods are not found.
10. (a) Vestibular apparatus has specific receptors called crista and macula to maintain the balance and posture of body.
11. (c) Retinal is a derivative of vitamin A. Retinal is a carotenoid constituent of visual pigments. It is the oxidised form of retinol which function as the active component of the visual cycle. It is bound to the protein opsin forming the complex rhodopsin.
12. (a) The neuromuscular junction connects the nervous system to the muscular system *via* synapses between efferent nerve fibres and muscle fibres.
13. (d)
- 20 Organ of Corti is located on the Basilar membrane
The coiled portion of the labyrinth is called cochlea
The eustachian tube connects the middle ear cavity with the pharynx
The middle ear contains stapes that is attached to the oval window
- 21 In electrical synapse conduction rate is faster than chemical synapse

22. Ans.(c)

Explanation

The correct answer is option (c) as statement I is correct but statement II is incorrect. In human brain, a deep cleft divides the cerebrum longitudinally into two halves, which are termed as the left and right cerebral hemispheres. The cerebral hemispheres are connected by a tract of nerve fibres called corpus callosum.

Three major regions make up the brain stem i.e. mid brain, pons and medulla oblongata.

Cerebrum is a part of forebrain which does not form brain stem.

Options (a), (b) and (d) are incorrect.

23. Ans.(d)

Explanation

The limbic system, which includes structures such as the amygdala and hippocampus, plays a significant role in regulating emotions, including fear, pleasure, and anger. The hypothalamus, another component of the limbic system, is involved in various functions, including the regulation of sexual behavior and responses to pleasure and excitement. Therefore, option d is correct.

Option (a), (b) and (c) are not correct because corpora quadrigemina is a part of the midbrain and consists of four round swellings. Corpus callosum is a tract of nerve fibres that connects right and left cerebral hemispheres. Thalamus is a major coordinating centre in the forebrain for sensory and motor signalling. Midbrain, pons and medulla oblongata together form the brain stem.

24. Ans.(b)

25.Ans.(a)

Explanation

Option a : Statement I is true but statement II is false

Statement I : This is correct. The olfactory receptors are specialized cells in the nasal cavity that are responsible for the sense of smell. They are coated with mucus which helps to dissolve odor molecules, making them easier to detect.

Statement II : This statement is incorrect due to a mix-up in the description of the layers. The wall of the eyeball indeed has three layers but they are as follows:

1. The external layer is the sclera, which is a dense, tough white connective tissue that gives the eye its shape and protects the inner components.
2. The middle layer is the choroid, which is a thin pigmented layer that provides oxygen and nourishment to the outer layers of the retina.
3. The internal layer is the retina, which contains photoreceptor cells (rods and cones), bipolar cells, and ganglion cells, and is responsible for detecting light and transmitting these signals to the brain through the optic nerve.

26.Ans.(d)

Explanation

Option (d) is the correct answer because

(i) Fovea is the point of greatest visual acuity or resolution.

(ii) Iris is the visible coloured portion of the eye that regulates diameter of pupil.

(iii) Blind spot is the point where optic nerve leaves the eye-ball and photoreceptor cells are absent.

(iv) Sclera is the external layer of eye formed of dense connective tissue.

27.Ans. (a)

Explanation

Cardiac activities of heart are regulated by

- Nodal tissue- SA node (sinoatrial node): pacemaker, AV node (atrioventricular node), Bundle of His and Purkinje fibers.
- A Special tissue in the medulla oblongata.
- Adrenal medullary hormone- Adrenaline and nor-adrenaline

About us

BioResire (NEET | CSIR NET | Biotech Internships) is a life sciences research and training organization dedicated to bridging the gap between academic learning and industry skills. We provide internships, projects, and programs in Bioinformatics, Biotechnology, Molecular Biology, Cancer Research, Neuroscience, and related fields, helping students build job-oriented scientific careers.

"The future belongs to those who explore the unseen — where biology meets innovation and discovery begins."